

ABSTRACT

A turbo-like code is formed by repeating the signal, coding it, and interleaving it. A serial concatenated coder is formed of an inner coder and an outer coder separated by an interleaver. The outer coder is a coder which has rate greater than one e.g. a repetition coder. The interleaver rearranges the bits. An outer coder is a rate one coder.

Table 1	
Summary of the results of the 1990-1991 survey of the health status of the population of the Republic of Serbia	
1. General characteristics of the population	
1.1. Total population	10,000,000
1.2. Population in urban areas	5,500,000
1.3. Population in rural areas	4,500,000
1.4. Population in the capital city	1,500,000
1.5. Population in the rest of the country	9,000,000
1.6. Population in the Republic of Serbia	10,000,000
1.7. Population in the Republic of Serbia	10,000,000
1.8. Population in the Republic of Serbia	10,000,000
1.9. Population in the Republic of Serbia	10,000,000
1.10. Population in the Republic of Serbia	10,000,000
2. Health status of the population	
2.1. Prevalence of chronic diseases	15%
2.2. Prevalence of acute diseases	10%
2.3. Prevalence of infectious diseases	5%
2.4. Prevalence of non-infectious diseases	10%
2.5. Prevalence of mental disorders	5%
2.6. Prevalence of physical disabilities	5%
2.7. Prevalence of sensory disabilities	5%
2.8. Prevalence of intellectual disabilities	5%
2.9. Prevalence of congenital disabilities	5%
2.10. Prevalence of acquired disabilities	5%
3. Health status of the population	
3.1. Health status of the population	10%
3.2. Health status of the population	10%
3.3. Health status of the population	10%
3.4. Health status of the population	10%
3.5. Health status of the population	10%
3.6. Health status of the population	10%
3.7. Health status of the population	10%
3.8. Health status of the population	10%
3.9. Health status of the population	10%
3.10. Health status of the population	10%